Honeywell

Galaxy Remote Control Application

(GX RemoteControl App.)

User Manual

Version: 2.1

© 2014 Honeywell International Inc. All rights reserved. No part of this publication may be reproduced by any means without written permission from Honeywell. The information in this publication is believed to be accurate in all respects. However, Honeywell cannot assume responsibility for any consequences resulting from the use thereof. The information contained herein is subject to change without notice. Revisions or new editions to this publication may be issued to incorporate such changes.

Table of Contents

Introduction
Scope
Intended Audience
What's new in this version?
Languages Supported4
Prerequisites to Download the App
Operating Systems Supported5
Upgrading the Firmware
Setting Up
Logging On
How to Logon
Fault status7
Future Logins
Know the App
Security Screen
Events Screen
Output Screen
Keypad Screen
Context Menu9
Securing the System
How to Set and Unset
How to Part Set and Night set
Viewing Groups11
Viewing the Event Alerts
Viewing Events Alerts Instantly11
How to View Customized Events
Setting Event Alerts
How to set the event Alerts
Adding New Site

Logging on to other Sites	
Modifying a Site	14
Deleting a Site	

Introduction

Galaxy Remote Control App. allows the user to control the Galaxy Dimension and the Flex Series intrusion detection panels remotely. This guide explains how to connect to intrusion detection panels etc and perform various functions remotely.

Scope

This guide provides information on the features and the functionalities of Galaxy Remote Control App.

Intended Audience

This guide is intended for the users of Galaxy Remote Control App. with Galaxy Dimension and Flex Series panels.

What's new in this version?

Version 2.1 comes with a new user interface and it includes the features of the previous version.

Notes:

- I. If you are accessing the Dimension/Flex series panels through your routers external IP address, then configure the router port forwarding for port 10001 to the panels Ethernet IP address. Refer Router manual for instructions on how to configure the port forwarding.
- II. The GX Remote Control application can also connect to a Dimension/Flex series panels using Domain name instead of IP address. If your ISP (Internet Service Provider) assigns an external dynamic IP address to your configured router and while connecting if your routers external IP address changes then use DDNS to prevent issues. To see if your router supports DDNS, refer to Router manual for instructions on how to configure.

Languages Supported

The following languages are supported in this App.

- English
- French
- Dutch
- Spanish
- Swedish
- Russian
- Italian
- Polish
- Czech

Language settings can be changed using the smart device's own settings function.

Note: In the App, the default language is set to English and translation is not available.

Prerequisites to Download the App

Before you download the Galaxy Mobile app, ensure that you enable the Panel Remote Access and add the Ethernet Module. The Ethernet module part numbers are:

- A083 For Flex 3
- E080-04 For Dimension and Flex 1

Operating Systems Supported

Galaxy Mobile app can be installed on Tablets and Smartphone's which are operating on the following platforms.

Operating System	Supported OS	Minimum required Version
Android	Android Smartphone and Tablets	4.0
IOS	Apple iPhone & iPad devices	7.1 or Higher

Upgrading the Firmware

This app supports both old firmware and new firmware of the panel. If you are using the previous version of Galaxy Remote Control app. then Panel Firmware upgrade is required to support or access the new functionality in version 2.1. New features will be available automatically when you download this App. Contact your dealer to get the support.

The following table details the list of panels that supports the new features in GX RemotControl App.

Panels Support New Features	New Features available in App. Version
Flex 1	2.1
Flex 100 New version 1.17	
Flex 50 New version 1.17	
Flex 20 New version 1.17	
Flex 3	2.1
Flex 100 New version 3.17	
Flex 50 New version 3.17	
Flex 20 New version 3.17	
Dimension series	2.1
Galaxy Dimension 520 New version 6.92	
Galaxy Dimension 264 New version 6.92	
Galaxy Dimension 96 New version 6.92	
Galaxy Dimension 48 New version 6.92	

Setting Up

The Galaxy Remote Control App can be downloaded from your respective device app store.

After you download and install the app, Remeted icon is displayed on your smart device or tablet.

Logging On

How to Logon

1. Tap **Dremotion** on your smart device or tablet. The **End User License Agreement** screen

appears.



Note: If you don't agree with the End User License Agreement then the user will not be able to use this app.

 Read the end user license agreement and then tap Agree. The Terms and Conditions screen appears.

Terms and Conditions	Login
Analytics statement:	
With your permission, usage information will be collected to improve the application.	Site Name Orian 2
Privacy statement:	Connection Password
http://honeywell.com/Privacy/Pages/en.aspx	User PIN
	User Index
	IP Address xxx.xxx.xx
	Save this configuration
Don't Agree Agree	CONNECT

- 3. Read the terms and conditions and then tap **Agree**. **Login** screen appears.
- 4. Tap and then type the Site Name, Connection Password, User PIN, User Index and IP Address in the respective boxes.
 Tap on the Save Configuration check box to save the configuration for future logins.

Note: Connection Password is required if it is already set at the panel. Connection Password can be set through Remote tool (RSS).

5. Tap **Connect**. **Connecting to Site** screen appears displaying the progress and then connects to a site.



Galaxy Remote Control App User Manual

On successful logon and connection to site, the **Security** screen appears by default as shown below.



Note: In the Security screen, the following icons appear depending upon the version of the firmware:

- • Refresh icon appears in old firmware. The status of the security screen varies depending upon the panel status. Tap this icon to refresh the panel status and to perform new actions.
- Live Alarm icon appears in new firmware. This icon indicates the number of live alarm conditions on the panel. To view these alarms the user should use the remote keypad.

Fault status

If there is a fault in the panel then after successful logon and connection to site, the following home screen with fault count status is displayed.





Future Logins

If you have added multiple sites in your previous login and when you launch the app for the second time then **Select Site** screen is displayed as shown below. You can add maximum 5 sites in this app.



- 1. Tap on the required site. The **Login** screen appears.
- 2. Tap and then type the **Connection Password** and **User PIN** in the respective boxes.

Note: The Site Name, User Index and IP Address fields are updated by default.

3. Tap **Connect**. **Connecting to Site** screen appears displaying the progress and then connects to a site.

Galaxy Remote Control App. - User Manual Know the App

Security Screen

Security screen allows you to perform the following functions.

- Set
- Unset
- Part set
- Night set
- View Groups

The status on the security screen may vary depending upon the panel status. If the panel status is Unset then the same status is displayed in the app.



Note: Groups drop-down appears if groups are configured in the panel.

Events Screen

The events screen displays the list of events that have occurred for the current day, previous day or last week, depending on selection made by the user. You should tap on the required option to upload and view the events in the selected range.

You can also customize **From** or **To** date and time to view the events for a specific period. If you navigate to another screen then the current event information is not displayed, you need to tap on the option again to refresh the event list. See How to View Customized Events section.



Output Screen

Output Screen options will be in available in future release.

Keypad Screen

The Keypad screen is a virtual replica of an actual panel keypad. It allows you to perform end user functions that can be performed on actual physical Galaxy keypad. Refer **Galaxy Dimension** or **Flex latest Installer** manual for more information.



Context Menu

Context menu options allow you to view or access different sites available, add new sites and view groups.

Note: You can add maximum of 5 sites in this app.

- Tap or swipe from left corner to view the context menu options.
- Tap or swipe from right corner to hide the menu.



Securing the System

How to Set and Unset

• When you want to Set and Unset the system, perform as shown below.



The following is the status when the system is Set



Galaxy Remote Control App. - User Manual

How to Part Set and Night set

• To **Part set** the system, perform as shown below.



The following is the status when the system is **PART SET**



• To **Night set** the system, perform as shown below.



The following is the status when the system is **NIGHT SET**



Viewing Groups

The **Select Group** drop-down displays all the available groups assigned to the user.

To view the groups available in a panel:

• Tap on **Select Group** drop down, the list of groups are displayed as shown below.



Groups drop-down appears if groups are configured in the panel. You can also select your favorite groups to view when you login in future. By default when you logon for the first time, the available groups are displayed.

Viewing the Event Alerts

The event alerts screen allows you to view the generated event alerts in the system instantly and by customizing.

Event alerts are divided in to two categories as follows:

- Events that can be viewed by a site manager.
- Events that can be viewed by any individual in the site.

A manager or a user can view the events alerts in the app by using their site credentials.

Viewing Events Alerts Instantly

To view the event alerts instantly for the current day, yesterday and Last week:

• In the **Events** screen, tap on the respective day tabs to view the events alerts instantly.

Orian 2			Tap the required
Today Yesterday	Last Week	Alerts	day tab to view
From: 05 Dec 2014 00:00	To: 12 Dec 2014 1	3:06	the event alerts
NIGHT SET USR 98 11 Dec 2014	A1	14:03	instantly
+BEGIN SET USR 98	3 A1	14:03	
UNSET USR 98 A1		14:03	
FULL SET USR 98 A	1	12:47	
+INST. SET USR 98	A1	12:47	
UNSET USR 98 A1 11 Dec 2014		12:47	
Security Events	Outputs	Keypad	

Note: When you navigate to the Events screen for the first time, the App will automatically fetch panel events from the last 60 minutes.

Galaxy Remote Control App. - User Manual



Note: Depending on your region the **From** and **To** dates display the current date. The **From** time will be less than one hour with the **To** time.





List of event logs for the specified date and time are displayed as shown below.

≡	Ori	∦ ਵ an 2	2 2 17:44
Today	Yesterday	Last Week	Alerts
From: 08 Dec 2	014 17:43	To: 13 Dec 2014	17:43
	0001 +CU-BATT A1 12 Dec 2014		16:50
	UNSET USR 5 A1 12 Dec 2014		16:50
	FULL SET USR 5 A1 12 Dec 2014		16:45
	HNST. SET USR 5 / 12 Dec 2014	\1	16:45
	UNSET USR 5 A1 12 Dec 2014		16:44
101	PART SET USR 5 A1 12 Dec 2014		16:44
© Security	CA Events	Outputs	Keypad
4			

Setting Event Alerts

This feature allows you to view SMS event messages sent from your panel to smart device. This feature is accessible if the panel is configured to send the SMS events and the smart device supports the SMS feature. Refer **Flex latest Installer** manual for more information.

Note: This feature is supported only for Android smart devices that support SMS feature.

How to set the event Alerts

• In the **Events** screen, perform as shown below.



Adding New Site

Note: You can add maximum of 5 sites in this app. **To add a new site**:

1. Tap . The context menu options are displayed as shown below.



2. Tap Add New Site option. The Add New Site screen appears.

		📚 🖉 🖬 13:14
	Add New Site	
Site Name		
Connection Pa	ssword	
User PIN		
User Index		
IP Address		
Save this co	nfiguration	
	CONNECT	
\leftarrow	\bigcirc	

- 3. Tap and then type the details of the new site.
- 4. Tap **Connect**. The new site is added and displayed in the context menu options.

Galaxy Remote Control App. - User Manual

Logging on to other Sites

You can log on to other sites based on your privileges.

To log on to other sites:

1. Tap . The context menu options are displayed as shown below.



2. Tap on the required site to logon from the available sites list. A message prompts you to logout from the exisitng connected site as shown below.



3. Tap **OK** to logout. Your existing site will be logged out and the **Login** screen appears as shown below.

Site Name		
Orian 2		
Connection Pa	ssword	
User PIN		
User Index		
98		
IP Address		
<u>xxx.xxx.xx</u> .xx		
Save this co	onfiguration	
	CONNECT	

4. Tap and then type the **Connection Password** and the **User PIN** in the respective boxes.

Note: If you have selected the Save configuration check box then you are prompted to type only the Connection Password and User PIN. The Site Name, User Index and IP Address fields are updated by default.

5. Tap **Connect** to connect the required new site

Modifying a Site

This feature is accessible if you have added multiple sites in your previous login and connect again in future. When you connect the app. in future by default **Select Site** screen is displayed. Modifying site feature allows you to modify the credentials of a site and to connect.

To modify the details of a site:

1. Logon to the app. using your credentials. The **Select site** screen appears as shown below.

Note: Ensure that you have added multiple sites in your previous logins.



- 2. In the **Select Site** screen, swipe left on the required site. **Modify** and **Delete** options are displayed as shown above.
- 3. Tap on **Modify**. The **Modify** screen appears as shown below.

Site Name	
Orian 1	
Connection Password	
User PIN	
User Index	
98	
IP Address	
199.63.245.189	
	SAVE

- 4. Tap and then modify the required details in **Site Name**, **User Index** and **IP Address** boxes.
- 5. Type the **Connection Password** and **User PIN**.
- 6. Tap **SAVE AND CONNECT** to save and connect.

Deleting a Site

To delete a site:

- 1. Logon to the app. using your credentials. The **Select site** screen appears.
- 2. In the **Select Site** screen, swipe left on the required site. **Modify** and **Delete** options are displayed as shown below.



3. Tap on **Delete** to delete the site.