

iCLASS Credentials

iCLASS Card - 200 / 210 / 211										
iCLASS cards can be ordered either with both SIO and iCLASS programming or iCLASS programming only.										
Ensure each required option has been checked with the appropriate choice to fulfill a completed order form.										
Base Model:	<u> </u>	Stand	lard PV	/C [21	0 Com	posite	40% P	olyestei	r/PVC*
iCLASS Memory Size and Allo □ 0 - 2k Bits (256 Bytes) with 2 A □ 3 - 32k Bits (4K Bytes) Applica □ 4 - 32k Bits (4K Bytes) Applica	Application Are tion areas 16	eas k/2+16k/	1)					2.125"	
iCLASS Programming (Select one option) HP - Programmed with Security Identity Object (SIO) and standard iCLASS Access Control Application (Recommended)¹ P - Programmed with standard iCLASS Access Control Application C - Unprogrammed, for use with iCLASS SE Encoder										
Front Packaging (Select one option) G - Plain White with Gloss Finish C - Custom Artwork with Gloss Finish - Specify Custom Artwork Number ² 0.033"										3.370" (8.57 cm)
Back Packaging (Select one option) G - Plain White with Gloss Finish - Specify Custom Artwork Number ² 1 - Plain White with Gloss Finish with Magnetic Stripe - Specify Custom Artwork Number ² 3 - Custom Artwork with Gloss Finish with Magnetic Stripe - Specify Custom Artwork Number ²										
B - Sequential Encoded/Sequential Non-Matching Printed (Laser Engraved) ⁵ C - Random Encoded/Non-Matching Sequential Printed (Laser Engraved) ⁵ Y = iCLASS Programming										OPTIONAL MAGNETIC STRIPE 1/2" (HICOHIGH ENERGY - 40000E) Y 12345 YYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYYY
Slot Punch ⁶ (Select one option) N - No slot punch, Printed Vertical Slot Indicators B - No Slot Punch, Printed Horizontal Slot Indicators V - Vertical Slot Punch H - Horizontal Slot Punch7										
Option - Custom Artwork ² ☐ (Specify Artwork Number - Refer to the Custom Artwork Forms for new artwork)										
Enter your final card options	from check	boxes	above.	Exampl	e: 2000	HPGG	NN			
Final Part Number								-		(Options #)
iCLASS Card Programming	Information	on								
Format Number (example:	•					bit) Facil	ity Code			
Encoded Card # Start \$ HID Elite ICE Number (if applicab	Stop			Start		Stop		OEM C	ada	
PIN (2-12 digits): Sequential:			- Offilial)	one cour				OEW C		-
Special Instructions:	Otant #				ш.	anaom.	Length _			
Secure Identity Object (SIO) Programming is not mandatory but highly recommended. If SIO programming is not selected the letter H should be left out from Final Part Number, for example: 2000PGGNN For new artwork files, contact Customer Service for custom artwork number, lead-times, and cost. Cards ordered with plain white front and back packaging, or custom artwork, will still have a small HID logo HID and reference number printed in the lower left-hand corner and a slot										
punch target printed on the back of the ⁴ The Printed card number is placed in the ⁵ For Laser Engraved Printed numbers, ⁶ Cards are provided with an optional slot ⁷ The ability to add a horizontal slot punc	card. ne bottom right-consult factory t punch at no a	nand corn for lead tir dditional c	er on the t mes and co charge. So	oack of the ost. me video ir	card. maging pr	inters canr	ot accomr	nodate pre-	-slot punche	•
Punch. 8 Please note that cards shipped within North America are always laser-engraved. Inkjetted option is not available for these cards. * The composite construction is recommended for all cards with over-laminate applied. Consult with the printer manufacturer prior to ordering.										

Page 60 of 108 March 2016