SE OF FIRE-LIFT COVER
BREAK GLASS


STOP
EMERGENCY USE ONLY
RM SOUNDS WHEN EXTINGUISHER IS REMOVED



STI®

Safety Technology International

Product Catalogue

www.sti-emea.com

Safety Technology International

EUROPE
Taylor House
34 Sherwood Road
Bromsgrove, Worcestershire
B60 3DR, UK

UNITED STATES
2306 Airport Road
Waterford, Michigan
48327-1209, USA

Phone: +44 (0)1527 520 999
Fax: +44 (0)1527 501 999
info@sti-emea.com

www.sti-emea.com

PRODUCT CATALOGUE_REV 02/17_PRINTED IN ENGLAND

ABOUT STI

Safety Technology International is a global manufacturer of fire, safety and security products that help deter false fire alarms, prevent theft and minimise damage to building equipment. Our innovative cages, covers, alarms and custom buttons are found in commercial and industrial environments worldwide.

ONLINE

To preview the whole range of covers, cages, alarms and buttons, please visit our website, on computer, tablet or smartphone

sti-emea.com

CUSTOMER SERVICE

If you cannot find what you are looking for online, give our friendly Sales Team a call and they will be able to assist with your enquiry

+44 (0)1527 520 999

HOW TO ORDER

To place an order, please send an email to the Sales Team, who will be able to assist or direct you through one of our many distributors

sales@sti-emea.com

TABLE OF CONTENTS

FIRE & SAFETY

Call Point Protectors 4
Universal Stopper & Enviro Stopper 6
Door Alarms 8
Extinguisher Alarms 10
Quick Referral Guide 13

CALL POINTS & SWITCHES

ReSet Call Points 40
Waterproof ReSet Call Points 42
Indoor Push Buttons 44
Waterproof Push Buttons 46
Key Switches 48
Alert Point 50
Covers for Call Points & Switches 53

WIRELESS PRODUCTS

Residential & Commercial Wireless Alert Series 54
Quick Referral Guide 57

COVERS & CAGES

Smoke & Heat Detector Cages 14
PIR & Motion Detector Cages 16
Smoke Beam Cages 18
Clocks, Bells, Beacons & Sounder Cages 20
External/Internal Lighting & CCTV Cages 22
Emergency Light Cages 24
Environmental Covers & Enclosures (Waterproof/Weatherproof) 26
Environmental Covers & Enclosures with Alarms 28
Environmental Covers & Enclosures with Heater & Aircon 30
Biometric & Keypad Covers 32
Thermostat Protectors 34
Euro Stopper 36
Quick Referral Guide 39

OTHER

Accessories 58

UV-stabilised polycarbonate Call Point covers protect a wide range of call points and electrical switches, without restricting legitimate operation. Ideal for shopping centres, hotels, schools, colleges, hospitals, nursing homes and all public buildings where there is a risk of accidental activation. All covers are available in a variety of colours for various applications.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

For colour & model variations visit www.sti-emea.com

Refer to Page 13 for dimensions.

FIRE & SAFETY

Call Point Protectors



1

DESIGN

Protective cover with optional integral sounder, prevents false fire alarms, without hindering legitimate operation of a manual call point in the event of an emergency. Euro Stopper Multi Kit supplied with Red and Green Housing Shell and multi-lingual language label for self-assembly.

ELECTRONICS

Available with or without a 96 dB integral sounder, powered by a 3V lithium battery. The sounder draws immediate attention to the area.

INSTALLATION

Quick and easy to install and protecting in minutes. A simple 4 fixing installation can retrofit over existing device. Can accommodate flush or surface mount applications.

CONSTRUCTION

Tough, clear UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage to the manual call point or emergency button.



2



3



4



5



6

1. Euro Stopper® Multi Kit

Protective cover prevents false fire alarms. Supplied in kit form, with glow in the dark frame.
STI-15010ML - Flush
STI-15020ML - Flush/Sounder
STI-15C10ML - Surface
STI-15C20ML - Surface/Sounder

2. Universal Stopper®

Protective cover protects manual call points and electrical switches without hindering operation.
STI-13010FR - Flush
STI-13020FR - Flush/Sounder
STI-13110FR - Surface
STI-13120FR - Surface/Sounder

3. Call Point Stopper®

UV-stabilised polycarbonate cover protects a wide range of electrical switches and call points.
STI-6930 - Flush
STI-6931 - Surface

4. Stopper II®

Larger cover prevents malicious or accidental damage to call points and electrical switches.
STI-1100 - Flush/Sounder
STI-1130 - Surface/Sounder
STI-1200 - Flush
STI-1230 - Surface

5. Weather Stopper II®

Larger weatherproof cover protects MCP's and larger devices against the ingress of dust or water.
STI-1250 - Flush
STI-3150 - Surface

6. Enviro Stopper®

IP rated protective cover ideal for extending life and reliability of devices in harsh environments.
STI-13610FR - Sealed Back Box
STI-13620FR - Sealed Back Box/Sounder
STI-13710FR - Open Back Box
STI-13720FR - Open Back Box/Sounder

The Universal Stopper and IP Rated Enviro Stopper are protective covers which help prevent malicious or accidental activations to vulnerable call points or switches. They are designed to protect devices such as call points and emergency buttons from the elements and ingress, making them ideal for indoor/outdoor use. Both models are ideal for schools, hospitals and all public buildings where there is a history or threat of false activation.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 13 for dimensions.

FIRE & SAFETY

Universal Stopper® & Enviro Stopper®

IN CASE OF FIRE
LIFT COVER - BREAK GLASS
LIFT HERE

DESIGN

Protective covers with or without integral sounder. Prevents false alarms without hindering legitimate operation of a manual call point or emergency button. The Universal Stopper is retrofittable, and the Enviro Stopper is an IP Rated enclosure.

ELECTRONICS

Available with or without a 96 dB integral sounder, powered by a 9V PP3 battery. The sounder draws immediate attention to the area. Optional 12-24 VDC powered units available.

INSTALLATION

Quick and easy to install and protecting in minutes. A simple 4 fixing installation can retrofit over existing device. Can accommodate flush or surface mount applications.

CONSTRUCTION

Tough, clear UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage.

BUILD YOUR OWN MODEL

Build Your Universal & Enviro Stopper®

IN CASE OF FIRE
LIFT COVER - BREAK GLASS
LIFT HERE
LIFT HERE

Select from each step your preferred option to generate your desired product code.

STI-



Step 1
Cover Options

13 = Dome Cover
14 = Low Profile Cover*
*Only available with Hood Option ‘00’



Step 2
Mounting Options

0 = Flush Mount
1 = Surface Mount - Clear Spacer (Dual Mount)
2 = Surface Mount - Hinged Coloured Spacer (special order model)
3 = Enclosed US Flush Back Box
4 = Enclosed US, ¾ NPT Thread Point, Sealed Mounting Plate
5 = Enclosed US, ¾ NPT Thread Point, Open Mounting Plate
6 = Enclosed European, 20mm Thread Point, Sealed Mounting Plate
7 = Enclosed European, 20mm Thread Point, Open Mounting Plate
8 = Enclosed US, ¾ NPT Thread Point, European Sealed Mounting Plate
9 = Enclosed US, ¾ NPT Thread Point, European Open Mounting Plate
A = Enclosed European, 20mm Thread Point & US Sealed Mounting Plate
B = Enclosed European, 20mm Thread Point & US Open Mounting Plate



Step 3
Hood Options

00 = No Label Hood
10 = Label Hood without Sounder
20 = Label Hood with Sounder
30 = Label Hood with Sounder & Relay



Step 4
Colour Options

FR = Red Fire Label
EG = Green Emergency Exit Label

No Label	Custom Label*
NK = Black	CK = Black
NB = Blue	CB = Blue
NC = Clear*	CG = Green
NG = Green	CR = Red
NR = Red	CW = White
NW = White	CY = Yellow
NY = Yellow	CE = Orange
NE = Orange	

* NC is only available with Hood Option ‘00’

*For custom label option, must provide wording (max. 2 lines, 20 characters per line, including spaces).

The Exit Stopper is a unique and highly effective way to alert you to any unauthorised exits or entries through emergency exit doors. If the protected door is opened, the electronic Exit Stopper emits a powerful 95/105 dB warning alarm. Available in red or green.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 13 for dimensions.

FIRE & SAFETY

Door Alarms


STOP
EMERGENCY EXIT ONLY
ALARM SOUNDS WHEN DOOR IS OPENED
ON
OFF
EXIT STOPPER

1

DESIGN

Unique and highly effective way to alert you to any unauthorised exits or entries through emergency exit doors. It can also serve as an inexpensive security device and help prevent theft.

ELECTRONICS

There are a number of user programmable features to suit application needs. The alarm is powered by a 9V PP3 battery. 12-24 or wireless option is available.

INSTALLATION

Highly versatile, can be mounted or installed on to any type of door, including remote placement of sounder.

CONSTRUCTION

Virtually indestructible UV-stabilised polycarbonate housing.


STOP
EMERGENCY EXIT ONLY
ALARM SOUNDS WHEN DOOR IS OPENED
ON
OFF
EXIT STOPPER

2

STOP
EMERGENCY EXIT ONLY
ALARM SOUNDS WHEN DOOR IS OPENED
ON
OFF
EXIT STOPPER

4


STOP
EMERGENCY EXIT ONLY
ALARM SOUNDS WHEN DOOR IS OPENED
ON
OFF
EXIT STOPPER

3

1. Exit Stopper®

Highly effective door alarm alerts to unauthorised use of exit doors.
STI-6400 - For single door installation
STI-6402 - For double door installation
STI-6400-G - For single door installation in Green

2. Wireless Exit Stopper® with Receiver

Wireless supervision for exit doors. Includes an STI 8-Channel Receiver.
STI-6400WIR8

3. Wireless Exit Stopper® with Voice Receiver

Wireless supervision for exit doors. Includes an STI 4-Channel Voice Receiver.
STI-V6400WIR4

4. Wireless Exit Stopper®

Wireless alarm unit to monitor the use of emergency exit doors. Requires an STI Receiver to alert to misuse.
STI-6400WIR

The Extinguisher Stopper has proven highly effective in helping prevent theft, misuse and vandalism of fire extinguishers. The Extinguisher Stopper will leave the extinguisher accessible for emergencies and will not interfere in the event of a real fire.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 13 for dimensions.

Extinguisher Alarms



1

DESIGN
It has proven highly effective in helping prevent theft, misuse or vandalism of fire extinguishers.

ELECTRONICS
Sounds a powerful 95/105 dB (at 1 metre) warning alarm when activated. Powered by a 9V PP3 battery. 12-24 or wireless option is available.

INSTALLATION
The device is easy to install and a deactivation cable is supplied for ease of servicing the extinguisher. Operating cable kit is supplied allowing the connection around the neck of the extinguisher.

CONSTRUCTION
Compact design mounts easily next to the extinguisher. Polycarbonate is UV-stabilised. Self-contained, tamper-proof and sturdy device.

STOP
EMERGENCY USE ONLY

2

STOP
EMERGENCY USE ONLY

3

STOP
EMERGENCY USE ONLY

4

STI
MINI THEFT STOPPER

5

1. Extinguisher Stopper®
Alarm unit to help prevent theft, vandalism or misuse of fire extinguishers.
STI-6200

2. Wireless Extinguisher Stopper® with Receiver
Wireless supervision for fire extinguishers. Includes an STI 8-Channel Receiver.
STI-6200WIR8

3. Wireless Extinguisher Stopper® with Voice Receiver
Wirelessly monitor the use of fire extinguishers. Includes an STI 4-Channel Voice Receiver.
STI-V6200WIR4

4. Wireless Extinguisher Stopper®
Wireless alarm unit to monitor the use of fire extinguishers. Requires an STI Receiver to alert to misuse.
STI-6200WIR

5. Mini Theft Stopper®
Protects freestanding or cabinet mounted fire extinguishers and other equipment.
STI-6255 - Single Protection
STI-6255-M2 - Double Protection

Fire & Safety

Which Call Point Protector do you need?

Integral Cover

Problem...
- low impact
- accidental

Solution...
- polycarbonate front protection

Call Point Stopper®

IN CASE OF FIRE
LIFT COVER - BREAK GLASS

Problem...
- low impact
- accidental

Solution...
- polycarbonate front & side protection

Euro Stopper®

IN CASE OF FIRE-LIFT COVER
BREAK GLASS
LIFT HERE

Problem...
- high impact
- malicious

Solution...
- polycarbonate front & side protection
- 96 db deterrent alarm

Universal Stopper®

IN CASE OF FIRE
LIFT COVER - BREAK GLASS
LIFT HERE

Problem...
- high impact
- malicious
- weather

Solution...
- polycarbonate front & side protection
- 96 db deterrent alarm
- ingress prevention

Enviro Stopper®

IN CASE OF FIRE
LIFT COVER BREAK GLASS
LIFT HERE

Problem...
- high impact
- malicious
- environmental

Solution...
- polycarbonate front & side protection
- 96 db deterrent alarm
- ingress prevention
- IP certified

False Alarm Issue?
minor
severe

Quick Referral Guide

Dimensions are based on internal clearance where applicable (H x W x D)

🌐 Please refer to website for further information

Product	Dimensions (mm)	Page	Description
CALL POINT PROTECTORS			
STI-6930	91 x 89 x 23	5	Call Point Stopper - Flush Mount
STI-6931	91 x 89 x 58	5	Call Point Stopper - Surface Mount
STI-15C10ML	104 x 96 x 58	5	Euro Stopper Multi Kit - Surface Mount 32mm (Sounder Model available)
STI-15D10ML	104 x 96 x 82	🌐	Euro Stopper Multi Kit - Surface Mount 50mm (Sounder Model available)
STI-15010ML	104 x 96 x 32	5	Euro Stopper Multi Kit - Flush Mount (Sounder Model available)
STI-1200	190 x 127 x 81	5	Stopper II - Flush Mount (Sounder Model available)
STI-1230	190 x 140 x 132	5	Stopper II - Surface Mount (Sounder Model available)
STI-1250	190 x 127 x 81	5	Weather Stopper II - Flush Mount
STI-3150	190 x 140 x 132	5	Weather Stopper II - Surface Mount
STI-13010FR	138 x 116 x 64	5	Universal Stopper - Flush Mount (Sounder Model available)
STI-13110FR	138 x 116 x 101	5	Universal Stopper - Surface Mount (Sounder Model available)
STI-13610FR	135 x 114 x 44	5	Enviro Stopper - Sealed Mounting Plate (Sounder Model available)
STI-13710FR	135 x 114 x 44	5	Enviro Stopper - Open Mounting Plate (Sounder Model available)
DOOR ALARMS			
STI-6400	136 x 136 x 50	9	Exit Stopper - Multi-Function Door Alarm for Single Door Installation
STI-6401	136 x 136 x 50	🌐	Exit Stopper - with Delay - Automatic Reset feature
STI-6402	136 x 136 x 50	9	Exit Stopper - Multi-Function Door Alarm for Double Door Installation
STI-6405	136 x 136 x 50	🌐	Exit Stopper - Momentary Reset
STI-6406	136 x 136 x 50	🌐	Exit Stopper - Dual Access Control
STI-6400WIR	136 x 136 x 50	9	Wireless Exit Stopper - Multi-function Door Alarm
STI-6400WIR8	136 x 136 x 50	9	Wireless Exit Stopper with 8-Channel Receiver
STI-V6400WIR4	136 x 136 x 50	9	Wireless Exit Stopper with 4-Channel Voice Receiver
EXTINGUISHER ALARMS			
STI-6200	136 x 136 x 50	11	Extinguisher Stopper
STI-6255	84 x 84 x 25	11	Mini Theft Stopper
STI-6255-M2	84 x 84 x 25	11	Double Point Mini Theft Stopper
STI-6200WIR	136 x 136 x 50	11	Wireless Extinguisher Stopper
STI-6200WIR8	136 x 136 x 50	11	Wireless Extinguisher Stopper with 8-Channel Receiver
STI-V6200WIR4	136 x 136 x 50	11	Wireless Extinguisher Stopper with 4-Channel Voice Receiver
KEY BOXES			
STI-6720	111 x 104 x 32	🌐	Small Key Box - Plexi Glass
STI-4100	173 x 136 x 38	🌐	Large Key Box - Glass & Hammer
STI-6700	137 x 100 x 38	🌐	Medium Key Box - Glass & Hammer

These heavy-duty steel cages are designed to protect smoke and fire detectors from vandalism and misuse, whilst remaining fully accessible and operational.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 39 for dimensions.

Smoke & Heat Detector Cages

DESIGN

These steel cages are designed to protect smoke and heat detectors from vandalism and misuse. Designed so there is no interference with the operation of the protected unit.

OPTIONS

Stainless steel versions are available for flush or surface mount applications. Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.



1

INSTALLATION

Quick and easy installation, can retrofit protecting within minutes.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

2

3

4



5

6



7

8

9

Designed to protect smoke and heat detectors from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9604
STI-9604 - Flush
STI-9604-SS - Flush/Stainless Steel
175mm x 175mm x 75mm

2. STI-9605
STI-9605 - Surface
STI-9605-SS - Surface/Stainless Steel
180mm x 180mm x 115mm

3. STI-9713
STI-9713 - Flush
174mm x 174mm x 63mm
STI-9712 - Surface
174mm x 174mm x 115mm

4. STI-9609
STI-9609 - Flush
STI-9609-SS - Flush/Stainless Steel
210mm x 210mm x 117mm

5. STI-9601
STI-9601 - Flush
STI-9601-SS - Flush/Stainless Steel
210mm x 210mm x 70mm

6. STI-9602
STI-9602 - Surface
210mm x 210mm x 108mm

7. STI-9610
STI-9610 - Surface
210mm x 210mm x 152mm

8. Polycarbonate Detector Stopper®
STI-8100 - Flush/Clear
210mm x 210mm x 95mm
STI-8130 - Surface/Clear
210mm x 210mm x 146mm

9. Smoke Detector Damage Stopper®
STI-8200-SS - Flush/Stainless Steel
203mm x 203mm x 76mm
STI-8230-SS - Surface/Stainless Steel
203mm x 203mm x 127mm

FIRE & SAFETY
COVERS & CAGES
CALL POINTS & SWITCHES
WIRELESS PRODUCTS

PIR & Motion Detector Cages

These super tough steel cages are extremely effective in reducing malfunctions and high maintenance costs where vandalism, misuse or accidental damage is prevalent against PIR and motion detectors.

DESIGN

These steel cages are designed to protect PIR and Motion Detectors from vandalism and misuse.

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.



1

INSTALLATION

Quick and easy installation; can retrofit protecting within minutes.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 39 for dimensions.



2



3



4



5

Designed to protect security PIR's & motion detectors from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9618
117mm x 136mm x 75mm

2. STI-9619
196mm x 136mm x 142mm

3. STI-9620
156mm x 102mm x 57mm

4. STI-9621
178mm x 146mm x 114mm

5. STI-9622
222mm x 102mm x 95mm

Smoke Beam Cages are highly effective in protecting costly sensor units of beam type smoke detectors, from damage leading to misalignment and false alarms. They are designed to protect both transmitter and receiver sensors.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 39 for dimensions.

COVERS & CAGES

Smoke Beam Cages

DESIGN

These steel cages are designed to protect smoke beam detectors and controllers from vandalism and misuse.

INSTALLATION

Quick and easy installation; can retrofit protecting within minutes.



1

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

2

3

4



5

Designed to protect costly sensor units of beam type smoke detectors from damage leading to misalignment and false alarms. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9624
225mm x 140mm x 120mm

2. STI-9623
197mm x 197mm x 152mm

3. STI-9840
168mm x 168mm x 146mm
STI-9841
293mm x 256mm x 91mm

4. STI-9861
186mm x 160mm x 143mm
STI-9862
187mm x 122mm x 70mm

5. STI-9845
167mm x 234mm x 104mm

These heavy-duty steel cages are an excellent way to help protect your clock, bells, beacons and sounders against vandalism, misuse and accidental damage. Constructed from corrosion resistant, plastic coated, galvanised steel rod for use internally or externally.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 39 for dimensions.

Clocks, Bells, Beacons & Sounder Cages

DESIGN

These steel cages are designed to protect Beacons & Sounders from vandalism and misuse.

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.



1

INSTALLATION

Quick and easy installation, can retrofit protecting within minutes.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

2



3

4



5

Designed to protect beacons, sounders and other devices from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9617
150mm x 150mm x 125mm

2. STI-9614
200mm x 200mm x 150mm

3. STI-9615
95mm x 95mm x 90mm

4. STI-9664
STI-9664
STI-9664-SS - Stainless Steel
98mm x 98mm x 173mm
STI-9665
STI-9665-SS - Stainless Steel
178mm x 178mm x 214mm

5. STI-9631
STI-9631
270mm x 270mm x 152mm
STI-9632
420mm x 420mm x 152mm
STI-9633
508mm x 508mm x 152mm

External/Internal Lighting & CCTV Cages

These protective steel cages for external/internal lighting and CCTV cameras offer protection against vandalism, misuse or accidental damage. These cages will help reduce replacement of light bulbs or expensive cameras.

1

DESIGN

These steel cages are designed to protect CCTV cameras and external lighting from vandalism and misuse.

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

INSTALLATION

Quick and easy installation, can retrofit protecting within minutes.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 39 for dimensions.



2

3

4



5

6

Designed to protect a variety of equipment including external lighting and CCTV cameras from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9625
200mm x 260mm x 321mm

4. STI-9647
STI-9647
620mm x 620mm x 640mm
STI-9646
498mm x 498mm x 514mm

2. STI-9626
530mm x 450mm x 300mm

5. STI-9880
STI-9880 - adjusts to fit 4-5ft
110mm x 1295mm x 152mm
STI-9881 - adjusts to fit 6-8ft
110mm x 1898mm x 152mm

3. STI-9627
400mm x 400mm x 400mm

6. STI-9730
STI-9730
300mm x 300mm x 300mm
STI-9729
178mm x 178mm x 178mm

These heavy-duty cages are an excellent way to protect emergency lights against vandalism and accidental damage, prolonging the life and reliability of critically important lighting.

Cages are backed by a three year guarantee against breakage in normal use.

Refer to Page 39 for dimensions.

COVERS & CAGES

Emergency Light Cages



1

DESIGN

These steel cages are designed to protect emergency lights from vandalism and misuse.

OPTIONS

Where additional security is required from theft or misuse, tamper resistant screws and matching bits are available.

INSTALLATION

Quick and easy installation, can retrofit protecting within minutes.

CONSTRUCTION

Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.



2



3



4



5

6

7

8

Designed to protect a variety of equipment including emergency lights from vandalism and misuse. Constructed from plastic coated, heavy-duty galvanised steel rod, the cages can withstand the severest of abuse from vandalism or accidental damage.

1. STI-9644
220mm x 450mm x 128mm

2. STI-9640
267mm x 349mm x 70mm

3. STI-9641
273mm x 372mm x 100mm

4. STI-9645
350mm x 550mm x 150mm

5. STI-9648
160mm x 460mm x 150mm

6. STI-9649
273mm x 629mm x 286mm

7. STI-9650
270mm x 780mm x 170mm

8. STI-9703
127mm x 343mm x 102mm

This range of multipurpose, transparent polycarbonate enclosures and metal cabinets are designed for the protection of fire and security control panels and other electronic equipment. Combining a tough, rugged construction with stylish design, the series offers excellent protection for a wide range of equipment.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 39 for dimensions.

Environmental Covers & Enclosures (Waterproof/Weatherproof)

DESIGN

Robust enclosures protect control panels located in areas where the environmental conditions are extreme and/ or the threat of vandalism or misuse is high.

ELECTRONICS

Available with or without a 95 dB alarm, powered by a 9V PP3 battery, to deter unauthorised access to devices.

1

INSTALLATION

External mounting tabs allow the enclosure to be easily installed on to any wall surface, providing protection without the need to change the location of the equipment. Mounting accessories and tamper-proof screws are provided.

CONSTRUCTION

Tough UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage to control panels and other electronic equipment.

2

3

4

5

6

Multipurpose UV-stabilised polycarbonate and heavy-duty metal cabinets and enclosures designed to protect fire and security control panels and electrical equipment from damage, vandalism and the environment. Enclosures can mount on the wall enabling units to be protected in their designated locations.

1. STI-7550
STI-7550 - Key Lock
STI-7551 - Thumb Lock
629mm x 502mm x 186mm

4. STI-EM111103
STI-EM111103
279mm x 279mm x 76mm
STI-EM111504
381mm x 279mm x 100mm
STI-EM151804
457mm x 381mm x 100mm

2. STI-7530
STI-7530 - Backplate/Key Lock
STI-7531 - Backplate/Thumb Lock
361mm x 310mm x 164mm

5. STI-7520
STI-7520 - Key Lock
STI-7521 - Thumb Lock
225mm x 276mm x 92mm

3. STI-7510E
STI-7510E - Open Spacer/Flush/Key Lock
STI-7511E - Open Spacer/Flush/Thumb Lock
145mm x 195mm x 56mm

6. STI-7560
STI-7560 - with Window
STI-7561 - without Window
838mm x 533mm x 152mm

These multipurpose, transparent polycarbonate cabinets and enclosures are designed to protect fire and security control panels, electrical units, AED cabinets and various other larger devices. They offer excellent protection from vandalism, accidental damage and the environment whilst ensuring all-round visibility and access.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 39 for dimensions.

Environmental Covers & Enclosures with Alarms

DESIGN

Robust protective enclosures protect AED's and other equipment located in public areas where there is a history of misuse of equipment.

ELECTRONICS

For additional security and to deter misuse and theft, the enclosures can be fitted with a security alarm or sounder/strobe device. Security alarm available with 100 dB flashing beacon.



1

INSTALLATION

External mounting tabs allow the enclosures to be easily installed on to any wall surface, providing protection without the need to change the location of the equipment. Mounting accessories and tamper-proof screws are provided.

CONSTRUCTION

Tough UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage to the AED and other electronic equipment.



2



3



4



5



6



7

Multipurpose transparent polycarbonate enclosures and cabinets designed to protect fire and security panels and other essential equipment such as AED's, from vandalism, accidental damage and the environment whilst ensuring all-round visibility.

1. STI-7535AED
AED Models with Thumb Lock
STI-7535AED - Strobe/Siren Alarm
STI-7533AED - Siren Alarm
STI-7531AED

2. STI-7523
Models with Siren Alarm
STI-7523 - Thumb Lock
STI-7522 - Key Lock

3. STI-7533
Models with Siren Alarm
STI-7533 - Thumb Lock
STI-7532 - Key Lock

4. STI-7553
Models with Siren Alarm
STI-7553 - Thumb Lock
STI-7552 - Key Lock

5. STI-7525
Models with Strobe/Siren Alarm
STI-7525 - Thumb Lock
STI-7524 - Key Lock

6. STI-7535
Models with Strobe/Siren Alarm
STI-7535 - Thumb Lock
STI-7534 - Key Lock

7. STI-7555AED
AED Models with Thumb Lock
STI-7555AED - Strobe/Siren Alarm
STI-7553AED - Siren Alarm

These multipurpose polycarbonate and metal enclosures are available with heater and/or air conditioner facility, and are designed to protect larger sized sensitive equipment, like alarm control panels, from extreme temperatures, vandalism or accidental damage, whilst retaining the desired operating temperatures.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 39 for dimensions.

Environmental Covers & Enclosures with Heater & Aircon



1

DESIGN

The Air Conditioner unit is externally mounted to minimise space intrusion in the cabinet.

ELECTRONICS

Heater unit has a low ambient operation package to help prevent it from freezing, and the aircon unit fan runs continuously to sustain a uniform temperature inside the enclosure.

INSTALLATION

Metal enclosures mount to the wall enabling the unit to be protected in its designated location. Control panel mounting backplate is included.

CONSTRUCTION

Heavy-duty metal cabinets have a durable finish to help protect against corrosion. The heavy-duty metal protects against vandalism, either accidental or intentional as well as dirt, dust and grime.

2

3

4 & 5

6

These polycarbonate and metal enclosures with built-in heater and air conditioner facility (models also available with air conditioner only) are designed to house larger sized sensitive equipment against vandalism, damage, dirt and grime. By maintaining a temperature above freezing, devices are able to be installed outdoors or in below freezing environments and still remain operable.

1. Metal Protective Cabinet
Models with Aircon
STI-7560AC - with Window
STI-7561AC - without Window

2. Heated Polycarbonate Enclosure
Models with Heater
STI-7510A-HTR - Key Lock
STI-7511A-HTR - Thumb Lock

3. Heated Type 4X Polycarbonate Enclosure
Models with Heater
STI-7520-HTR - Key Lock
STI-7521-HTR - Thumb Lock

4. Polycarbonate Protective Cabinet
Models with Aircon
STI-7550AC - Key Lock
STI-7551AC - Thumb Lock

5. Polycarbonate Protective Cabinet
Models with Aircon & Heater
STI-7550AH - Key Lock
STI-7551AH - Thumb Lock

6. Metal Protective Cabinet
Models with Aircon & Heater
STI-7560AH - with Window
STI-7561AH - without Window

These tough covers have been designed to protect card readers, access control keypads and similar devices from abuse and accidental damage as well as from the external elements. All covers are moulded from tough polycarbonate material that is UV-stabilised against discolouration.

Three year guarantee against breakage of polycarbonate in normal use.

Refer to Page 39 for dimensions.

Biometric & Keypad Covers



1

DESIGN
Covers designed to protect access and keypad control panels from vandalism and accidental damage as well as the elements.

OPTIONS
Certain models are available in a smoke finish for further security. Gasket replacement is recommended at least every five years.

INSTALLATION
Quick and easy to install. Covers can be retrofitted over an existing device allowing it to maintain its current location.

CONSTRUCTION
Covers are moulded from tough, UV-stabilised polycarbonate. Models fitted with stainless steel torsion spring allows the cover to maintain in a closed position.



2



3



4



5



6

These tough covers have been designed to protect card readers, access control keypads and similar devices from abuse and accidental damage as well as the elements. All covers are moulded from tough polycarbonate material that is UV-stabilised against discolouration.

1. Bio Protector
BIO-7504 - Clear
BIO-7505 - Smoke

2. Identification Reader Cover
STI-6520-C - Clear
STI-6520-S - Smoke

3. Bio Protector
STI-6514 - Clear
STI-6514-S - Smoke

4. Mini Bopper Stopper®
STI-6516 - Clear

5. Bopper Stopper®
STI-6518 - Clear/Spring Loaded Hinge

6. Polycarbonate Cover
STI-7700 - Open Spacer
STI-7710 - Open Spacer/Lock
STI-7720 - Enclosed Back Box
STI-7730 - Enclosed Back Box/Lock

The Thermostat Protectors are recommended for areas where abuse or tampering of thermostats is a problem. Holes in the frame allow air to circulate freely for proper operation of the thermostat but an interior wall prevents any tampering to the controls with a small object.

Three year guarantee against breakage of polycarbonate in normal use.

Refer to Page 39 for dimensions.

COVERS & CAGES

Thermostat Protectors

DESIGN

These tough, locking covers help prevent vandalism, damage and tampering of thermostats or energy sensors. Tamper resistance double wall design allows airflow to the protected device.

OPTIONS

Certain models are available in a smoke finish. Models are available with locks, ideal where thermostats are located in public areas.

1

INSTALLATION

Quick and easy to install. Covers can be retrofitted over an existing device allowing it to maintain its current location.

CONSTRUCTION

Cover are moulded from tough, UV-stabilised polycarbonate.

2

3

4

5

Tough, clear covers designed to protect thermostats. Recommended for use in areas where abuse or tampering is a problem. These units have the option of a key lock facility to prevent unauthorised tampering; especially useful when the units are located in public areas.

1. Medium Thermostat Protector
Flush Models with Key Lock
STI-9105 - Clear
STI-9105-S - Smoke

2. Small Thermostat Protector
Flush Model with Frangible Lock
STI-9102 - Clear

3. Large Thermostat Protector
Flush Model with Key Lock
STI-9110 - Clear

4. Small Thermostat Protector
Flush Models with Key Lock
STI-9100 - Clear
STI-9100-S - Smoke

5. Circular Thermostat Protector
Flush Model without Lock
STI-9115 - Clear

FIRE & SAFETY
COVERS & CAGES
CALL POINTS & SWITCHES
WIRELESS PRODUCTS

The Euro Stopper is a protective cover which helps prevent malicious or accidental activation of call points and emergency switches. The Euro Stopper consists of a clear, tamper-proof, tough UV-stabilised polycarbonate cover and frame that retrofits over the manual call point. Ideal for schools, hospitals and all public buildings where there is a history or threat of false activation.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

Refer to Page 13 for dimensions.

COVERS & CAGES

Euro Stopper®

CUSTOM LABEL
LIFT HERE

DESIGN

Protective cover with optional integral sounder. Prevents false alarms without hindering legitimate operation of the call point or emergency switch. Glow in the dark frame provides further security.

ELECTRONICS

Available with or without a 96 dB integral sounder, powered by a 3V lithium battery. The sounder draws immediate attention to the area.

INSTALLATION

Quick and easy to install and protecting in minutes. A simple 4 fixing installation can retrofit over existing device. Can accommodate flush or surface mount applications.

CONSTRUCTION

Tough UV-stabilised polycarbonate housing can withstand the severest of knocks preventing any vandalism or accidental damage to the manual call point.

BUILD IT YOUR WAY

Build Your Euro Stopper®

Select from each step your preferred option to generate your desired product code.

For Euro Stopper Multi Kit, standard fire & access control models, refer to Page 4

STI-15 ______ ______ – ______

Step 1
Mounting Options

0 = Flush Mount
C = 32mm Surface Spacer
D = 50mm Surface Spacer



Step 2
Hood Options

10 = Label Hood without Sounder
20 = Label Hood with Sounder
30 = Label Hood with Sounder & Relay
40 = Label Hood with Sounder & Wireless
50 = Label Hood with Sounder, Wireless & Relay



Step 3
Colour Options

No Label	Custom Label*
NK = Black	CK = Black
NB = Blue	CB = Blue
NG = Green	CG = Green
NR = Red	CR = Red
NE = Orange	CE = Orange
NW = White	CW = White
NY = Yellow	CY = Yellow

*For custom label option, must provide wording (max. 2 lines, 20 characters per line, including spaces).

Covers & Cages

Look familiar? We've got it covered!

- Steel cages designed to protect a wide variety of devices from vandalism and misuse.
- Constructed from plastic coated, heavy-duty galvanised steel rod.
- Simple 4 fixing point installation can retrofit over existing devices.
- Designed so there is no interference with the operation of the protected unit.
- Cages are backed by a three year guarantee against breakage in normal use.

Quick Referral Guide

Dimensions are based on internal clearance where applicable (H x W x D)

NB: Cage sizes featured in this catalogue may vary from -5mm to +5mm

Product	Dimensions (mm)	Page
SMOKE & HEAT DETECTOR CAGES		
STI-9601	210 x 210 x 70	15
STI-9602	210 x 210 x 108	15
STI-9604	175 x 175 x 75	15
STI-9605	180 x 180 x 115	15
STI-9609	210 x 210 x 117	15
STI-9610	210 x 210 x 152	15
STI-9713	174 x 174 x 63	15
PIR & MOTION DETECTORS CAGES		
STI-9618	117 x 136 x 75	17
STI-9619	196 x 136 x 142	17
STI-9620	156 x 102 x 57	17
STI-9621	178 x 146 x 114	17
STI-9622	222 x 102 x 95	17
SMOKE BEAM CAGES		
STI-9623	197 x 152 x 152	19
STI-9624	225 x 140 x 120	19
STI-9840	168 x 168 x 146	19
STI-9841	293 x 256 x 91	19
STI-9845	167 x 234 x 104	19
STI-9861	186 x 160 x 143	19
STI-9862	187 x 122 x 70	19
CLOCK, BELLS, BEACONS & SOUNDER CAGES		
STI-9614	200 x 200 x 150	21
STI-9615	95 x 95 x 90	21
STI-9617	150 x 150 x 125	21
STI-9631	270 x 270 x 152	21
STI-9632	420 x 420 x 152	21
STI-9633	508 x 508 x 152	21
STI-9664	98 x 98 x 173	21
STI-9665	178 x 178 x 214	21

Product	Dimensions (mm)	Page
SMOKE DETECTOR DAMAGE STOPPER		
STI-8100	210 x 210 x 95	15
STI-8200-SS	203 x 203 x 76	15
EXTERNAL/INTERNAL LIGHTING & CCTV CAGES		
STI-9625	200 x 260 x 321	23
STI-9626	530 x 450 x 300	23
STI-9627	400 x 400 x 400	23
STI-9646	498 x 498 x 514	23
STI-9647	620 x 620 x 640	23
STI-9729	178 x 178 x 178	23
STI-9730	300 x 300 x 300	23
STI-9881	110 x 1898 x 152	23
EMERGENCY LIGHTING CAGES		
STI-9640	267 x 349 x 70	25
STI-9641	273 x 372 x 100	25
STI-9644	220 x 450 x 128	25
STI-9645	350 x 550 x 150	25
STI-9648	160 x 460 x 150	25
STI-9649	273 x 629 x 286	25
STI-9650	270 x 780 x 170	25
STI-9703	127 x 343 x 102	25
ENVIRONMENTAL COVERS & ENCLOSURES		
STI-7510E	145 x 195 x 56	27
STI-7520	225 x 276 x 92	27
STI-7530	361 x 310 x 164	27
STI-7550	629 x 502 x 186	27
COVERS & ENCLOSURES WITH HEATER		
STI-7510A-HTR	164 x 191 x 102	31
STI-7520-HTR	206 x 256 x 83	31
STI-7561AH	914 x 771 x 223	31

Product	Dimensions (mm)	Page
COVERS & ENCLOSURES WITH ALARM		
STI-7523	225 x 276 x 92	29
STI-7525	276 x 225 x 92	29
STI-7533	361 x 310 x 164	29
STI-7535	361 x 310 x 164	29
COVERS & ENCLOSURES WITH AIRCON		
STI-7550AC	699 x 898 x 216	31
STI-7560AC	914 x 771 x 223	31
AED PROTECTIVE CABINETS		
STI-7535AED	361 x 310 x 164	29
STI-7553AED	629 x 502 x 186	29
STI-7555AED	629 x 502 x 186	29
METAL PROTECTIVE CABINETS		
STI-EM111103	279 x 279 x 76	27
STI-7560	838 x 533 x 152	27
BIOMETRIC & KEYPAD PROTECTORS		
BIO-7504	171 x 222 x 127	33
STI-6514	76 x 98 x 69	33
STI-6516	83 x 92 x 51	33
STI-6518	127 x 83 x 44	33
STI-6520-C	162 x 84 x 76	33
STI-6528	138 x 138 x 60	33
STI-7700	121 x 210 x 50	33
THERMOSTAT PROTECTORS		
STI-9100	104 x 47 x 77	35
STI-9102	100 x 100 x 35	35
STI-9105	127 x 140 x 76	35
STI-9110	135 x 215 x 92	35
STI-9115	184 x 184 x 73	35

CALL POINTS & SWITCHES

ReSet Call Points

The ReSet Call Point mimics the feel of breaking glass whilst offering the benefits and environmental advantages of a resettable operating element. Suitable for areas that are at high risk of false activations or sensitive to broken glass.



DESIGN

An indicator drops into view at the top of the window on activation. The unit is then simply reset with a key and is ready for use.

ELECTRONICS

There are 4 electrical arrangements available; Single Pole Changeover, Double Pole Changeover, Conventional Fire model (470 680Ω) and Sav-Wire 2 Wire Systems.

INSTALLATION

Easy installation due to no glass elements that could be broken or incorrectly fitted. Integral cover available.

CONSTRUCTION

Extremely attractive, high value look and feel: glass appearance maintains operator deterrence, whilst a visible warning flag confirms activation and key allows units to be quickly reset.

One year on electro-mechanical and electronic components.

Flush Mount
87mm x 87mm x 23mm

Surface Mount
87mm x 87mm x 58mm

LPCB
EN54-11 Cert No. 653a/01
Series 01 ONLY

BUILD IT YOUR WAY

Build Your ReSet Call Point

Select from each step your preferred option to generate your desired product code.

GAS RELEASE

RP- ______ ______ – ______ – ______



Step 1
Colour Options

R = Red
G = Green
Y = Yellow
B = Blue
W = White
O = Orange

Step 2
Mounting Options

S = Surface
(Wall Plate & Back Box)
S1 = Surface
(Combined Wall Plate & Back Box)
F = Flush



Step 3
Electrical Options

01 = Conventional Fire Model
(470 680Ω) *Red only
02 = Single Pole Changeover
05 = Sav-Wire 2 Wire Systems
*Red only
11 = Double Pole Changeover

YOUR TEXT HERE

Step 4
Label Options

RM = Running Man Logo
CL = Custom Label*

Label Options

Standard Models: • All red models will be supplied with House Flame logo, unless -CL is specified.
• All other models will be supplied with Standard Function Marking unless -CL or -RM (green only) is specified.

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected:
• EMERGENCY • EMERGENCY DOOR RELEASE • EMERGENCY EXIT • EVACUATE • GAS ABORT
• GAS RELEASE • GAS SHUT OFF • INCIDENT • ISOLATION SWITCH • PANIC ALARM • POOL ALARM • SMOKE VENT

E.G. ***RP-YS1-02-CL*** *for Yellow, Surface Mount with custom label*

E.G. ***RP-BS1-11*** *for Blue, Surface Mount with Standard Function Marking labels*

*For custom label option, must provide wording (max. 2 lines, 10 characters per line, including spaces).

CALL POINTS & SWITCHES

Waterproof ReSet Call Points

The Waterproof ReSet Call Point mimics the feel of breaking glass whilst offering the benefits and environmental advantages of a resettable operating element. The waterproof models are suitable for indoor/outdoor or wash-down areas that are sensitive to broken glass or harsh environments.



DESIGN

An indicator drops into view at the top of the window on activation. The unit is then simply reset with a key and is ready for re-use. Waterproof models are tested to IP67.

ELECTRONICS

There are 3 electrical arrangements available; Single Pole Changeover, Double Pole Changeover, and Conventional Fire model (470 680Ω).

INSTALLATION

Easy installation due to no glass elements that could be broken or incorrectly fitted. Waterproof models only available for surface mounted applications.

CONSTRUCTION

Extremely attractive, high value look and feel: glass appearance maintains operator deterrence, whilst a visible warning flag confirms activation and key allows units to be quickly reset.

One year on electro-mechanical and electronic components.

90mm x 89mm x 72mm

Intertek
0359-CPR-00439
WRP2-R-01 only

BUILD IT YOUR WAY

Build Your Waterproof ReSet Call Point

Select from each step your preferred option to generate your desired product code.

WRP2- ▬ – ▬ – ▬

🔴🟢🟡
🔵⚪🟠

Step 1
Colour Options

R = Red
G = Green
Y = Yellow
B = Blue
W = White
O = Orange



Step 2
Electrical Options

01 = Conventional Fire Model (470 680Ω) *Red only
02 = Single Pole Changeover
11 = Double Pole Changeover

YOUR TEXT HERE

Step 3
Label Options

RM = Running Man Logo
CL = Custom Label*

Label Options

Standard Models: • All red models will be supplied with House Flame logo, unless -CL is specified.
• All other models will be supplied with Standard Function Marking unless -CL or -RM (green only) is specified.

*E.G. **WRP2-R-01** for Red with House Flame logo*

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected:
• EMERGENCY • EMERGENCY DOOR RELEASE • EMERGENCY EXIT • EVACUATE • GAS ABORT
• GAS RELEASE • GAS SHUT OFF • INCIDENT • ISOLATION SWITCH • PANIC ALARM • POOL ALARM • SMOKE VENT

*E.G. **WRP2-B-11** for Blue with Standard Function Marking labels*

For custom label option, must provide wording (max. 2 lines, 10 characters per line, including spaces).

The StopperSwitches are a highly versatile range of attractive indoor Push Buttons combining unique design, quality and value. They are aesthetically appealing, low/high voltage switches which fit any standard UK-type switch socket box.

One year on electromechanical and electronic components.

87mm x 87mm x 58mm

CALL POINTS & SWITCHES

Indoor Push Buttons

PRESS TO EXIT
PUSH

DESIGN

Inset design on the push button helps prevent accidental activations. ‘Standard Function Marking’ label sheets provided if Custom Label is not specified.

CONSTRUCTION

Moulded in tough UV-stabilised polycarbonate. Space available for function marking or operating instructions.

INSTALLATION

Quick and easy installation. All models supplied as Dual Mount (35mm black back box and flush mounting plate) to allow the user the choice of flush or surface installation.

ELECTRONICS

Low profile, heavy-duty terminations. Wide range of operating voltages up to 250 volts. Key-to-Reset, Momentary and Pneumatic models available.

Standard Models

*All supplied with Standard Function Marking Labels

Access Control Buttons

SS3-7G14 - White Housing, Green Button, Momentary, Multi-Function Signal (DPC & SPC)
SS3-3W14 - Green Housing, White Button, Momentary, Multi-Function Signal (DPC & SPC)

Pneumatic Access Control Buttons

SS3-7G60 - White Housing, Green Button, Pneumatic, Single Pole Changeover
SS3-3W60 - Green Housing, White Button, Pneumatic, Single Pole Changeover

Emergency Power Off Buttons

SS3-5R04 - Yellow Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
SS3-5Y04 - Yellow Housing, Yellow Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Emergency/Evacuate Buttons

SS3-7B04 - White Housing, Blue Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
SS3-9W04 - Blue Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Panic/Isolate Buttons

SS3-1W04 - Red Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
SS3-7R04 - White Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Smoke Vent Buttons

SS3-EW04 - Orange Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)
SS3-EE04 - Orange Housing, Orange Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

BUILD IT YOUR WAY

Build Your Indoor Push Button

PRESS TO EXIT
PUSH
PUSH

Select from each step your preferred option to generate your desired product code.

All models will be supplied with Standard Function Marking unless -CL is specified.

SS3-





YOUR TEXT HERE
PUSH

Step 1 Housing Colour Options	**Step 2** Button Colour Options	**Step 3** Button Type Options	**Step 4** Electrical Options	**Step 5** Label Options
1 = Red - Dual Mount 3 = Green - Dual Mount 5 = Yellow - Dual Mount 7 = White - Dual Mount 9 = Blue - Dual Mount E = Orange - Dual Mount	R = Red G = Green Y = Yellow W = White B = Blue E = Orange	0 = Latching (Key-to-Reset) 1 = Momentary 6 = Pneumatic	0 = Single Pole Changeover *Pneumatic only 4 = Multi-Function Signal (DPC & SPC) *Key-to-Reset & Momentary only	CL = Custom Label*

PLEASE NOTE: Colour combination conditionals. Options are: • Red Button = Red, Yellow or White Housing • Green Button = Green or White Housing • Yellow Button = Yellow Housing only • White Button = White, Red, Green, Blue or Orange Housing • Blue Button = Blue or White Housing • Orange Button = Orange Housing only.
For other options, please contact Sales.

Standard Function Marking: Contains the following labels, with black or white text, depending on housing colour selected: • EMERGENCY • EMERGENCY POWER OFF • EMERGENCY STOP • EVACUATE • EXIT • GAS SHUT OFF • ISOLATE • PANIC ALARM • POOL ALARM • PRESS TO EXIT • SHUT DOWN • SMOKE VENT

*E.G. **SS3-3G04** for Green Housing, Green Button with Standard Function Marking labels*

*For custom label option, must provide wording (max. 1 line, 20 characters, including spaces).

The StopperSwitches are a highly versatile range of attractive waterproof Push Buttons combining unique design, quality and value. The waterproof models are specially designed for use within harsh environments; the push buttons are ideal for indoor/outdoor applications such as oil rigs, ships, factories and wash-down areas.

One year on electromechanical and electronic components.

90mm x 89mm x 72mm

CALL POINTS & SWITCHES

Waterproof Push Buttons

DESIGN

Inset design on the push button helps prevent accidental activations. 'Standard Function Marking' label sheets provided if Custom Label is not specified.

CONSTRUCTION

Moulded in tough UV-stabilised polycarbonate. Space available for function marking or operating instructions.

INSTALLATION

Quick and easy installation. All waterproof models are for surface mount applications.

ELECTRONICS

Low profile, heavy-duty terminations. Wide range of operating voltages up to 250 volts. Key-to-Reset and Momentary models available.

Standard Models

*All supplied with Standard Function Marking Labels

Access Control Buttons

WSS3-7G14
White Housing, Green Button, Momentary, Multi-Function Signal (DPC & SPC)

WSS3-3W14
Green Housing, White Button, Momentary, Multi-Function Signal (DPC & SPC)

Emergency Power Off Buttons

WSS3-5R04
Yellow Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

WSS3-5Y04
Yellow Housing, Yellow Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Emergency/Evacuate Buttons

WSS3-7B04
White Housing, Blue Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

WSS3-9W04
Blue Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

Panic/Isolate Buttons

WSS3-1W04
Red Housing, White Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

WSS3-7R04
White Housing, Red Button, Key-to-Reset, Multi-Function Signal (DPC & SPC)

BUILD IT YOUR WAY

Build Your Waterproof Push Button

PRESS TO EXIT

Select from each step your preferred option to generate your desired product code.

All models will be supplied with Standard Function Marking unless -CL is specified.

WSS3-

Step 1 Housing Colour Options	Step 2 Button Colour Options	Step 3 Button Type Options	Step 4 Electrical Options	Step 5 Label Options
				YOUR TEXT HERE
1 = Red - Surface Mount 3 = Green - Surface Mount 5 = Yellow - Surface Mount 7 = White - Surface Mount 9 = Blue - Surface Mount E = Orange - Surface Mount	R = Red G = Green Y = Yellow W = White B = Blue E = Orange	0 = Latching (Key-to-Reset) 1 = Momentary	4 = Multi-Function Signal (DPC & SPC)	CL = Custom Label*

PLEASE NOTE: Colour combination conditionals. Options are: • Red Button = Red, Yellow or White Housing • Green Button = Green or White Housing • Yellow Button = Yellow Housing only • White Button = White, Red, Green, Blue or Orange Housing • Blue Button = Blue or White Housing • Orange Button = Orange Housing only.
For other options, please contact Sales.

Standard Function Marking: Contains the following labels, with black or white text, depending on housing colour selected: • EMERGENCY • EMERGENCY POWER OFF • EMERGENCY STOP • EVACUATE • EXIT • GAS SHUT OFF • ISOLATE • PANIC ALARM • POOL ALARM • PRESS TO EXIT • SHUT DOWN • SMOKE VENT

E.G. ***WSS3-3G04*** *for Green Housing, Green Button with Standard Function Marking labels*

*For custom label option, must provide wording (max. 1 line, 20 characters, including spaces).

Key Switches



The StopperSwitches are a highly versatile range of attractive Key Switches combining unique design, quality and value. These aesthetically appealing, low/high voltage switches fit any standard UK-type switch socket box are quick and easy to install. They are ideal for units where casual activation is discouraged, and activation is only possible with key provided.

One year on electromechanical and electronic components.

87mm x 87mm x 58mm

DESIGN

Recessed key barrel prevents risk of damage to the Key Switch. 'Standard Function Marking' label sheets provided if Custom Label is not specified.

CONSTRUCTION

Moulded in tough UV-stabilised polycarbonate. Space available for function marking or operating instructions.

INSTALLATION

Quick and easy installation. All models are supplied as Dual Mount (35mm black back box) to allow the user the choice of flush or surface installation.

ELECTRONICS

Contact rating (switching resistive load) 5A 115 V AC, 3A 50 V DC

Standard Models

*All supplied with Standard Function Marking Labels

Access Control Key Switches

SS3-3041
Green Housing, 2 Position Key Switch, Double Pole - Normally Open

SS3-3042
Green Housing, 2 Position Key Switch, Double Pole - Normally Closed

General Application Key Switches

SS3-1020
Red Housing, 2 Position Key Switch, Single Pole Changeover

SS3-7020
White Housing, 2 Position Key Switch, Single Pole Changeover

SS3-E020
Orange Housing, 2 Position Key Switch, Single Pole Changeover

SS3-5020
Yellow Housing, 2 Position Key Switch, Single Pole Changeover

BUILD IT YOUR WAY

Build Your Key Switch

Select from each step your preferred option to generate your desired product code.

All models will be supplied with Standard Function Marking unless -CL is specified.

SS3- ___ ___ ___ - ___



Step 1
Colour Options

10 = Red - Dual Mount
30 = Green - Dual Mount
50 = Yellow - Dual Mount
70 = White - Dual Mount
90 = Blue - Dual Mount
E0 = Orange - Dual Mount

Step 2
Switch Type Options

2 = 2 Position Key Switch Single Pole
3 = 2 Position Key Switch - Key Trapped in 'on' position
4 = 2 Position Key Switch Double Pole
5 = 3 Position Key Switch



Step 3
Electrical Options

0 = Single Pole Changeover
1 = Double Pole Normally Open
2 = Double Pole Normally Closed
3 = 3 Position Key Switch Arrangement

YOUR TEXT HERE

Step 4
Label Options

CL = Custom Label*

PLEASE NOTE: Electrical Arrangement Conditionals. Options are:
- Single Pole Changeover = 2 Position Key Switch & Key Trapped in 'on' position
- Double Pole Normally Open = 2 Position Key Switch & Key Trapped in 'on' position
- Double Pole Normally Closed = 2 Position Key Switch & Key Trapped in 'on' position
- 3 Position Key Switch Arrangement = 3 Position Key Switch only

Standard Function Marking: Contains the following labels, with black or white text, depending on colour selected:
- EMERGENCY
- EMERGENCY POWER OFF
- EMERGENCY STOP
- EVACUATE
- EXIT
- GAS SHUT OFF
- ISOLATE
- PANIC ALARM
- POOL ALARM
- PRESS TO EXIT
- SHUT DOWN
- SMOKE VENT

*E.G. **SS3-1020** for Red, 2 Position Key Switch with Standard Function Marking labels*

*For custom label option, must provide wording (max. 1 line, 20 characters, including spaces).

The Alert Point is an aesthetically pleasing, robust and fully featured stand-alone alarm system. It is available in a variety of colours and can be used for a wide variety of application such as Fire, Intruder and Panic. It provides an effective means of raising an alarm in the event of an emergency.

Three year guarantee against breakage of polycarbonate in normal use (one year on electro-mechanical and electronic components).

170mm x 125mm x 58mm

CALL POINTS & SWITCHES

Alert Point

DESIGN

Stand-alone alarm system is fitted with an integral resettable call point, simple key-to-reset with no broken glass or parts to replace. Aesthetic design, available in a choice of colours to suit a variety of applications.

ELECTRONICS

Once activated a 102 dB alarm (at 1 metre) will alert, an activation flag drops in to view and the built in LED facility flashes red. Any external connected devices will be activated.

INSTALLATION

Stand alone, self-contained alarm system. No wiring involved and a simple 4 screw fixing making installation quick and easy.

CONSTRUCTION

It is manufactured from tough polycarbonate, and designed for use in industrial, commercial and retail applications as well as portacabins, construction sites, car parks, churches and holiday parks.

BUILD IT YOUR WAY

Build Your Alert Point

EVACUATION
HELP
EXIT

Select from each step your preferred option to generate your desired product code.

AP- ______ – ______ – ______

Step 1
Series Options

1 = Alert Point
2 = Alert Point: *Lite*
3 = Alert Point with Beacon
4 = Alert Point: *Lite* with Beacon

Step 2
Colour Options

R = Red
B = Blue
G = Green
W = White

Step 3
Label Options

A = House Flame Logo
B = Fire
C = Intruder
D = Panic
E = Evacuation
F = Assist
G = General Alarm
H = Alert
I = Emergency Exit
R = Running Man Logo
X = Custom Label*

*For custom label option, must provide wording (max. 2 lines, 10 characters per line, including spaces).

Inoperable Break Glass Call Point inconvenience?

No more broken glass, Just ReSet!

- The resettable operating element within the ReSet Call Points, allows the unit to be reset without any additional cost implications.
- No broken glass means the ReSet Call Points are ideal for areas that are sensitive to broken glass such as kitchens and public areas.
- Easy installation due to no glass elements that could be broken or incorrectly fitted.
- Glass appearance maintains operator deterrence, whilst a visible warning flag confirms activation.
- For further protection, Protective Covers are available to further enhance the security of your Call Point.

Covers for Call Points & Switches

Prolong the life and reliability of your Call Point with a Protective Cover


IN CASE OF FIRE
LIFT COVER - BREAK GLASS
LIFT HERE

1


IN CASE OF FIRE
LIFT COVER - BREAK GLASS
LIFT HERE

2


IN CASE OF FIRE
LIFT COVER - BREAK GLASS

3


IN CASE OF FIRE
LIFT COVER BREAK GLASS
LIFT HERE

4


IN CASE OF FIRE
LIFT COVER BREAK GLASS
LIFT HERE

5


IN CASE OF FIRE
LIFT COVER BREAK
LIFT HERE

6

---

1. Euro Stopper® Multi Kit
STI-15010ML - Flush
STI-15020ML - Flush/ Sounder
STI-15C10ML - Surface
STI-15C20ML - Surface/ Sounder

2. Universal Stopper®
STI-13010FR - Flush
STI-13020FR - Flush/ Sounder
STI-13110FR - Surface
STI-13120FR - Surface/ Sounder

3. Call Point Stopper®
STI-6930 - Flush
STI-6931 - Surface

4. Stopper II®
STI-1100 - Flush/Sounder
STI-1130 - Surface/ Sounder
STI-1200 - Flush
STI-1230 - Surface

5. Weather Stopper II®
STI-1250 - Flush
STI-3150 - Surface

6. Enviro Stopper®
STI-13610FR - Sealed Back Box
STI-13620FR - Sealed Back Box/Sounder
STI-13710FR - Open Back Box
STI-13720FR - Open Back Box/Sounder

For further information on Protective Covers refer to Page 5

The Wireless Alert Series wirelessly monitors numerous STI devices from one single convenient location. When the receivers detect a tripped site, an audible, visual or voice programmable message will alert which transmitter has been activated.

Three year guarantee against breakage of polycarbonate in normal use (one year on electromechanical and electronic components).

Refer to Page 57 for dimensions.

Residential & Commercial Wireless Alert Series

1

DESIGN

Specially designed to protect and monitor all areas of a building. The receivers have a compact design making them easy to either mount on a wall or place on a desk.

ELECTRONICS

When motion or use is detected, the sensor sends a wireless signal to an indoor STI receiver. It has a supervised battery and signal reception.

INSTALLATION

No difficult wiring involved. 4-Channel Voice Receiver has easy programming voice prompt and recognises the transmitter. Sensors mount easily in desired location.

CONSTRUCTION

Latching and auto-restore mode of operation. 433 MHz wireless frequency.

2 & 4

3

STOP
EMERGENCY USE ONLY

5

STOP
EMERGENCY EXIT ONLY
ALARM SOUNDS WHEN DOOR IS OPENED
ON
OFF
EXIT STOPPER

6

7

1. Wireless Doorbell Button Alert
Supplied with 4-Channel Voice Receiver, alerts when doorbell button is pressed.
STI-V34600 (includes STI-34601)

2. Wireless Door Chime
Supplied with 4-Channel Voice Receiver, alerts when site is tripped.
STI-V34450 (includes STI-34401)

3. Universal Alert Sensor
Alerts when monitored site is tripped.
STI-34401

4. Wireless Garage Sentry Alert
Supplied with 4-Channel Voice Receiver, alerts when garage door is opened.
STI-V34300 (includes STI-34301)

5. Wireless Extinguisher Stopper®
Wirelessly monitor and prevent misuse of fire extinguishers.
STI-6200WIR
STI-V6200WIR4 - with 4-Channel Voice Receiver
STI-6200WIR8 - with 8-Channel Receiver

6. Wireless Exit Stopper®
Wirelessly monitor the use of emergency exit doors.
STI-6400WIR
STI-V6400WIR4 - with 4-Channel Voice Receiver
STI-6400WIR8 - with 8-Channel Receiver

7. 8-Channel Receiver
Receiver can monitor up to 8 wireless STI devices from one convenient location.
STI-34108

Wireless Alert Series

Monitor your building from one convenient location

Fire exit
STOP
open

- Wirelessly monitor key areas of your building with the Wireless Alert Series.
- The Wireless Exit Stopper® will alert you to any authorised or unauthorised use of emergency exit doors.
- Emits a piercing 95/105 dB alarm when a protected door is opened and sends a wireless signal to an STI receiver.
- Sensors have supervised battery and signal reception.

Quick Referral Guide

Dimensions are based on external clearance (H x W x D)

🌐 Please refer to website for further information

Product	Dimensions (mm)	Page	Description
WIRELESS TRANSMITTERS			
STI-34201	84 x 35 x 28	🌐	Mailbox Alert Sensor
STI-34301	84 x 35 x 28	🌐	Garage Sentry Sensor
STI-34401	84 x 35 x 28	55	Universal Alert Sensor
STI-34451	84 x 35 x 28	🌐	Wireless Door Chime Sensor
STI-34601	90 x 25 x 19	🌐	Wireless Doorbell Button
WIRELESS DOOR CHIME			
STI-34401	84 x 35 x 28	55	Wireless Door Chime Sensor
STI-V34450	(Refer to STI-34401 & STI-V34104)	55	Wireless Door Chime with 4-Channel Voice Receiver
WIRELESS DOORBELL BUTTON			
STI-34601	90 x 26 x 19	55	Wireless Doorbell Button
STI-V34600	(Refer to STI-34601 & STI- V34104)	55	Wireless Doorbell Button Alert with 4-Channel Voice Receiver
WIRELESS GARAGE SENTRY ALERT			
STI-34301	84 x 35 x 28	55	Garage Sentry Sensor
STI-V34300	(Refer to STI-34301 & STI-V34104)	55	Wireless Garage Sentry Alert with 4-Channel Voice Receiver
WIRELESS MAILBOX ALERT			
STI-34201	84 x 35 x 28	🌐	Mailbox Alert Sensor
STI-V34200	(Refer to STI-34201 & STI-V34104)	🌐	Wireless Mailbox Alert with 4-Channel Voice Receiver
WIRELESS RECEIVERS			
STI-34098	64 x 38 x 13	🌐	Single Channel Slave Receiver
STI-34108	130 x 145 x 30	55	8-Channel Receiver
STI-V34104	164 x 70 x 27	55	4-Channel Voice Receiver
WIRELESS EXIT STOPPER			
STI-6400WIR	136 x 136 x 50	9	Wireless Exit Stopper
STI-V6400WIR4	136 x 136 x 50	9	Wireless Exit Stopper with 4-Channel Voice Receiver
STI-6400WIR8	136 x 136 x 50	55	Wireless Exit Stopper with 8-Channel Receiver
WIRELESS EXTINGUISHER STOPPER			
STI-6200WIR	136 x 136 x 50	11	Wireless Extinguisher Stopper
STI-V6200WIR4	136 x 136 x 50	11	Wireless Extinguisher Stopper with 4-Channel Voice Receiver
STI-6200WIR8	136 x 136 x 50	55	Wireless Extinguisher Stopper with 8-Channel Receiver

Accessories

CALL POINT PROTECTORS

CKE-272-R	Red Housing Shell for Euro Stopper	5

(Add -G for Green, -B for Blue, -E for Orange, -K for Black, -W for White, -Y for Yellow)

CKE-015-LIT	Sounder Unit for Euro Stopper	5
CKE-015	Sounder & Relay Unit for Euro Stopper	5
CKE-015-WIR	Sounder, Wireless & Relay Unit for Euro Stopper	5
CKS001	Sounder Unit for Universal Stopper	5
DC1224	Remote Wiring Harness for Universal Stopper & Euro Stopper	5
E009	Servicing Pin	5
ET/BS	Break Seals (Pack of 10)	5
STI-1280	Backplate for Stopper II & Weather Stopper II	5
STI-3002	Weather Gasket for Stopper II & Weather Stopper II	5
STI-3100	50mm Spacer for Stopper II & Weather Stopper II	5
STI-6506	32mm Spacer for Euro Stopper	5
STI-6507	50mm Spacer for Euro Stopper	5
STI-6508	Backplate for Euro Stopper	5
STI-6903	35mm Spacer for Call Point Stopper	5

DOOR ALARMS

L6400	Alarm Warning Emergency Exit Sign	9
STI-6400-RK	Remote Installation Kit	9
STI-6400-RS	Remote 95/97 dB Sounder	9
STI-C023/A	Spare Key for Exit Stopper	9
STI-F021	Tamper Tool	9

EXTINGUISHER ALARMS

STI-6204	Deactivation Cable	11
STI-6205	Operating Cable Kit	11
STI-6206	Seal	11
STI-F021	Tamper Tool	11
KIT-131	Door Clip for Mini Theft Stopper	11
KIT-65	Break Away Seal Kit for Mini Theft Stopper	11

KEY BOXES

STI-6701	Replacement Glass for Medium Key Box	🌐
STI-6721-B	Replacement Glass Breaker	🌐
STI-6725	Replacement Plexi Glass for Small Key Box	🌐
STI-C051	Replacement Glass for Large Key Box	🌐

CAGES & DETECTOR STOPPERS

19038	Tamper Bit for KIT-81, KIT-82 & KIT-84	15-25
19036	#8 x 1.5" Snake Eye Tamper Resistant Screws	15-25
STI-8101	50mm Conduit Spacer for Detector Stopper Series	15-25
STI-8170	Mounting Backplate for Detector Stopper Series	15-25
STI-8201-SS	50mm Spacer for Detector Stopper Series - Stainless Steel	15-25
STI-8201-W	50mm Spacer for Detector Stopper Series - White	15-25
KIT-81	#8 x 2" Snake Eye Tamper Resistant Screws	15-25
KIT-82	#8 x 1.5" Snake Eye Tamper Resistant Screws	15-25

ENVIRONMENTAL COVERS & ENCLOSURES

10821	3/4" Rigid Conduit Hub	27
07530WR	Wireshelf for STI-7530 Series	27
STI-9779	Mounting Pedestal 1500mm (H) x 450mm (W) x 450mm (D)	27
STI-9780	Mounting Pedestal 1000mm (H) x 450mm (W) x 450mm (D)	27
KIT-314	Adapter Plate for STI-7500 Series	27
KIT-318	Adapter Plate for Mounting Pedestals	27

METAL PROTECTIVE CABINETS

18021	3/4" Rigid Conduit Hub	27
18070	Key Lock Assembly	27
18713	Replacement Backplate for STI-7560 & STI-7561	27
KL544	Key Lock	27
STI-HTR550T	Cabinet Heater with Fan	27
STI-MBP0506	Backplate for STI-EM07123.5 & STI-EM08073.5	27
STI-MBP0913	Backplate for STI-EM111504	27
STI-MBP1010	Backplate for STI-EM111103 & STI-EM121204	27
STI-MBP1316	Backplate for STI-EM151804	27
TL644	Thumb Lock for all STI-EM Cabinets	27

AED PROTECTIVE CABINETS

18075	Replacement Key for Select-Alert Alarm	29
07530WR	Wireshelf for STI-7530 Series	29
AED-LBL	AED Label	29
STI-F021	Tamper Key	29
STI-C023/A	Spare Key for Exit Stopper	29

COVERS & ENCLOSURES WITH ALARM

19038	Tamper Bit for KIT-81, KIT-82 & KIT-84	29
STI-C023/A	Spare Key for Exit Stopper	29
KIT-82	8# x 1.5" Snake Eye Tamper Resistant Screws	29

COVERS & ENCLOSURES WITH HEATER

18021	3/4" Rigid Conduit Hub	31
18729	Replacement Filter for Heater/Aircon Units	31
07530WR	Wireshelf for STI-7530 Series	31
STI-9779	Mounting Pedestal 1500mm (H) x 450mm (W) x 450mm (D)	31
STI-9780	Mounting Pedestal 1000mm (H) x 450mm (W) x 450mm (D)	31
KIT-318	Adapter Plate for Mounting Pedestals	31
KIT-7500-HTR	Replacement Heater	31
KIT-7520-HTR	Replacement Heater Plate	31

COVERS & ENCLOSURES WITH AIRCON

18729	Replacement Filter for Heater/Aircon Units	31
18070	Key Lock Assembly for STI-7560 Series	31
18713	Replacement Backplate for STI-7560 & STI-7561	31
STI-HTR550T	Cabinet Heater with Fan	31

BIOMETRIC & KEYPAD PROTECTORS

102721	Adapter Plate for Bopper Stopper	33
G770099	Gasket for STI-7700 Series	33

THERMOSTAT PROTECTORS

C068	Spare Key for Thermostat Protector	35
STI-F021	Tamper Tool for STI-9102	35
19036	8# x 1.5" Snake Eye Tamper Resistant Screws	35
19038	Tamper Bit for KIT-81, KIT-82 & KIT-84	35
STI-6503	30mm Conduit Spacer for STI-9105	35
STI-6504	50mm Conduit Spacer for STI-9105	35
STI-900	50mm Conduit Spacer for STI-9110	35

CALL POINTS & SWITCHES

CI	Integral Cover	41-51
RP-K	ReSet Replacement Key	41-51
AP-MK	Alert Point Master Key	51

WIRELESS PRODUCTS

34701	Wireless Indoor Motion Detector	55
34752	Wireless Outdoor Motion Detector	55
34101	Sensor for Solar Driveway Monitor - Transmitter*	55
34151	Sensor for Battery Wireless Driveway Monitor -Transmitter*	55
34105	Voltamax 12 VDC Power Supply	55
30105	Extended Antenna	55
34109	Repeater	55

* Not for EU sale

unauthorised entries. stop vandalism and dam
damage to property. get easy wireless solutio
solutions. protect devices in extreme climates
and weather. prevent false fire alarms. prevent
theft and unauthorised entries. stop vandalism
and damage to property. get easy wireless so
solutions. protect devices in extreme climates
and weather. prevent false fire alarms. prevent
theft and unauthorised entries. stop vandalism
and damage to property. get easy wireless so
solutions. protect devices in extreme climates

Safety Technology International

Global manufacturer of fire, safety & security products that help deter false fire alarms, prevent theft and minimise damage.

Worcestershire, England
+44 (0)1527 520 999
www.sti-emea.com

Michigan, USA
+1 (248)-673-9898
www.sti-usa.com