




WALL MOUNT ASSY- GEN-X SERIES  
SHEET 3




POLE MOUNT ASSY- GEN-X SERIES  
PN (421-0067-00)  
SHEET 3




CORNER MOUNT ASSY- GEN-X SERIES  
PN (421-0066-00)  
SHEET 4



PENDANT MOUNT KIT - GEN-X SERIES  
PN (421-0069-00)  
SHEET 3/6




PENDANT MOUNT KIT - GEN-X SERIES  
PN (421-0069-00)  
POLE MOUNT KIT - GEN-X SERIES  
PN (421-0067-00)  
SHEET 6



PENDANT MOUNT KIT - GEN-X SERIES  
PN (421-0069-00)  
CORNER MOUNT KIT - GEN-X SERIES  
PN (421-0066-00)  
SHEET 6

THIRD ANGLE PROJECTION



METRIC

INTERPRET DRAWING  
PER ASME Y14.5M-1994

UNLESS OTHERWISE SPECIFIED  
SURFACE ROUGHNESS 0.8  
X = ±.25  
XX = ±.13  
ANGULAR = ±.5°  
FILLET RADII = .13 MAX

PROPRIETARY - FLIR SYSTEMS, INC.

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION TO FLIR SYSTEMS, INC. THIS INFORMATION MUST BE MAINTAINED IN CONFIDENCE AND USED ONLY IN A MANNER CONSISTENT WITH THE DOCUMENTATION AND ANY EXECUTED NON DISCLOSURE AGREEMENT, AND MAY NOT BE DISCLOSED TO ANY THIRD PERSON WITHOUT FLIR'S WRITTEN CONSENT.

THIS DOCUMENT IS CONTROLLED TO FLIR TECHNOLOGY LEVEL 2. THE INFORMATION CONTAINED IN THIS DOCUMENT PERTAINS TO A DUAL USE PRODUCT CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR). DIVERSION CONTRARY TO US LAW IS PROHIBITED. US DEPARTMENT OF COMMERCE AUTHORIZATION IS NOT REQUIRED PRIOR TO EXPORT OR TRANSFER TO FOREIGN PERSONS OR PARTIES UNLESS OTHERWISE PROHIBITED.

MATERIAL	PROJECT NO.	
SEE NOTE 1	APPROVALS	DATE
FINISH	DWN	2/22/2017
SEE NOTE 2	CHK	
UNLESS OTHERWISE SPECIFIED ALL MEASUREMENTS ARE IN MM. ALL DIMENSIONS IN ( ) ARE INCHES. DO NOT SCALE DRAWING.	DSGN	
	ENG	
	APP	
CALC WT: GRAMS		



FLIR Systems, Inc.  
6769 Hollister Ave  
Goleta, CA 93117

TITLE  
**Mounting Accessories Drawing**  
**Saros Security Camera Family**

SIZE D CAGE 064Y2 DWG NO. **427-0100-0X-28** REV

SCALE 1:4 PRINTED: 10/18/2018 SHEET 1 OF 6


SOLIDWORKS MODEL: 427-0100-0X-28 SAROS MOUNTING ACCESSORIES MODEL REVISION:

D

C

SH 2  
REV

A



**DETAIL VIEW OF MOUNTING BACK PLATE**  
**PN: 261-2795-00**

ALL SUBSEQUENT MOUNTING ACCESSORIES  
MOUNT USING HOLE PATTERN C

**ASSEMBLY STEPS:**

1. UNSCREW CAPTIVE FASTENER AND REMOVE EYELID
2. UNSCREW CAMERA LOCKING RING
3. RELEASE 1/4 TURN FASTENERS FROM EDGE OF BACK BOX AND PULL PIECES APART

**NOTE:**

ALL SHOWN FASTENERS  
IN STEPS 1/3 ARE  
CAPTIVE. THEY DO NOT  
LEAVE SURFACE.  
SHOWN PROJECTED  
FOR REFERENCE ONLY.

**Mounting Backplate Access Instructions**  
**Saros Security Camera Family**

METRIC

PROPRIETARY - FLIR SYSTEMS, INC.

THIS DOCUMENT IS CONTROLLED TO FLIR TECHNOLOGY LEVEL 2. THE INFORMATION CONTAINED IN THIS DOCUMENT PERTAINS TO A DUAL USE PRODUCT CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR). DIVERSION CONTRARY TO US LAW IS PROHIBITED. US DEPARTMENT OF COMMERCE AUTHORIZATION IS NOT REQUIRED PRIOR TO EXPORT OR TRANSFER TO FOREIGN PERSONS OR PARTIES UNLESS OTHERWISE PROHIBITED.



FLIR Systems, Inc.  
6769 Hollister Ave.  
Goleta, CA 93117

SIZE  
D

CAGE  
064Y2

PIECE PART

**427-0100-0X-00**

REV

SCALE 1:1 PRINTED: 10/18/2018 SHEET 2 OF 6

SOLIDWORKS MODEL: 427-0100-0X-28 SAROS MOUNTING ACCESSORIES  
MODEL REVISION: 1

NOTES: UNLESS OTHERWISE SPECIFIED

1. THIS SHEET ONLY PROVIDESINSTRUCTIONS FOR DIRECT CAMERA MOUNTING. NO MOUNT KIT INCLUDED
2. GEN-X SECURITY CAMERA HAS POSSIBILITY TO MOUNT DIRECTLY TO:
- 1. SINGLE GANG JUNCTION BOX
  - 2. DOUBLE GANG JUNCTION BOX
  - 3. 4" ROUND BOX
  - 4. 4" SQUARE BOX
  - 5. DIRECTLY TO WALL



STRUCTURE MATERIAL VARIES WITH INSTALLATON

CAMERA PRODUCTS SHOWN FOR REFERENCE ONLY

DIRECT MOUNT TO WALL OPTION

PENDANT ARM MOUNT TO WALL OPTION

FOR PENDANT MOUNT SHROUD AND ARM DETAILS SEE SHEET 6




Wall Mounting Options  
Saros Security Camera Family

METRIC

PROPRIETARY - FLIR SYSTEMS, INC.

THIS DOCUMENT IS CONTROLLED TO FLIR TECHNOLOGY LEVEL 2. THE INFORMATION CONTAINED IN THIS DOCUMENT PERTAINS TO A DUAL USE PRODUCT CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR). DIVERSION CONTRARY TO US LAW IS PROHIBITED. US DEPARTMENT OF COMMERCE AUTHORIZATION IS NOT REQUIRED PRIOR TO EXPORT OR TRANSFER TO FOREIGN PERSONS OR PARTIES UNLESS OTHERWISE PROHIBITED.

	FLIR Systems, Inc. 6769 Hollister Ave. Goleta, CA 93117	SIZE	CAGE	PIECE PART.		REV
		D	064Y2	N/A		
		SCALE 1:2		PRINTED: 10/18/2018		SHEET 3 OF 6
		SOLIDWORKS MODEL: 427-0100-0X-28 SAROS MOUNTING ACCESSORIES		MODEL REVISION:		1






NOTES: UNLESS OTHERWISE SPECIFIED

- 1. POLE ADAPTER ACCOMMODATES Ø 150-230mm [6.0-9.0IN] POLE
- 2. HARDWARE (BOM ITEMS 1) INCLUDED IS ENOUGH TO ATTACH A SINGLE GEN X SERIES CAMERA). POLE ADAPTER ASSY DOES NOT ALLOW FOR ATTACHING TWO (OR MORE) CAMERAS AT THE SAME TIME.

GEN-X POLE MOUNT KIT ITEM LIST

- 1. 4X M4x0.7x12 Socket FCHS
- 2. 2X BAND CLAMP
- 3. 1X POLE MOUNT PLATE 261-2865-00
- 4. 4X M8x1.25x22 SCHS
- 5. 4X M8 FLAT WAHSER

CAMERA BACK MOUNTING PLATE SHOWN FOR ASSEMBLY REFERENCE ONLY; MOUNTING PLATE INCLUDED WITH CAMERA (SEE SHEET 2), NOT WITH POLE MOUNT KIT



STRUCTURE MATERIAL VARIES WITH INSTALLATON

1	421-0067-00	POLE MOUNT KIT	1
QTY.	PART NUMBER	DESCRIPTION	ITEM

Pole Mount Kit  
Saros Security Camera Family

METRIC

PROPRIETARY - FLIR SYSTEMS, INC.

THIS DOCUMENT IS CONTROLLED TO FLIR TECHNOLOGY LEVEL 2. THE INFORMATION CONTAINED IN THIS DOCUMENT PERTAINS TO A DUAL USE PRODUCT CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR). DIVERSION CONTRARY TO US LAW IS PROHIBITED. US DEPARTMENT OF COMMERCE AUTHORIZATION IS NOT REQUIRED PRIOR TO EXPORT OR TRANSFER TO FOREIGN PERSONS OR PARTIES UNLESS OTHERWISE PROHIBITED.

	FLIR Systems, Inc. 6769 Hollister Ave. Goleta, CA 93117	SIZE D	CAGE 064Y2	PIECE PART 421-0067-00	REV
SCALE 1:2		PRINTED: 10/18/2018		SHEET 4 OF 6	

SOLIDWORKS MODEL: 427-0100-0X-28 SAROS MOUNTING ACCESSORIES  
MODEL REVISION:

NOTES: UNLESS OTHERWISE SPECIFIED

1. HARDWARE (BOM ITEMS 1) INCLUDED IS ENOUGH TO ATTACH A SINGLE GEN X SERIES CAMERA). CORNER ADAPTER ASSY DOES NOT ALLOW FOR ATTACHING TWO (OR MORE) CAMERAS AT THE SAME TIME.

GEN-X CORNER MOUNT KIT ITEM LIST



1. 4X M4x0.7x12 Socket FCHS  
2. 1X CORNER MOUNT PLATE 261-2864-00  
3. 4X M8x1.25x22 SCHS  
4. 4X M8 FLAT WAHSER

CAMERA BACK MOUNTING PLATE SHOWN FOR ASSEMBLY REFERENCE ONLY; MOUNTING PLATE INCLUDED WITH CAMERA (SEE SHEET 2), NOT WITH CORNER MOUNT KIT

CAMERA PRODUCT SHOWN FOR REFERENCE ONLY


8X HARDWARE TO ATTACH TO STRUCTURE SUPPLIED BY CUSTOMER

STRUCTURE MATERIAL VARIES WITH INSTALLATON



VIEW D-D

BOTH 45° FLANGES HAVE IDENTICAL DIMENSIONS



1	421-0066-00	CORNER MOUNT KIT	1
QTY.	PART NUMBER	DESCRIPTION	ITEM

Corner Mount Kit  
Saros Security Camera Family

METRIC

PROPRIETARY - FLIR SYSTEMS, INC.

THIS DOCUMENT IS CONTROLLED TO FLIR TECHNOLOGY LEVEL 2. THE INFORMATION CONTAINED IN THIS DOCUMENT PERTAINS TO A DUAL USE PRODUCT CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR). DIVERSION CONTRARY TO US LAW IS PROHIBITED. US DEPARTMENT OF COMMERCE AUTHORIZATION IS NOT REQUIRED PRIOR TO EXPORT OR TRANSFER TO FOREIGN PERSONS OR PARTIES UNLESS OTHERWISE PROHIBITED.

**FLIR** FLIR Systems, Inc.  
6769 Hollister Ave.  
Goleta, CA 93117

SIZE D CAGE 064Y2 PIECE PART 421-0066-00 REV

SCALE 1:2 PRINTED: 10/18/2018 SHEET 5 OF 6

SOLIDWORKS MODEL: 427-0100-0X-28 SAROS MOUNTING ACCESSORIES MODEL REVISION:

NOTES: UNLESS OTHERWISE SPECIFIED

1. HARDWARE (BOM ITEMS 1) INCLUDED IS ENOUGH TO ATTACH A SINGLE GEN X SERIES CAMERA). PENDANT MOUNT SHROUD KIT DOES NOT ALLOW FOR ATTACHING TWO (OR MORE) CAMERAS AT THE SAME TIME.
2. SANS ARM OPTION AVAILABLE  
PENDANT MOUNT SHROUD KIT (PN: 421-0068-00)  
SOLD WITHOUT PENDANT MOUNT ARM (PN: CX-ARMX-G3)

GEN-X PENDANT MOUNT KIT ITEM LIST





1. 4X M4x0.7x12 SOCKET FCHS
2. 1X PENDANT MOUNT SHROUD PN: 261-2866-00
3. 1X PENDANT MOUNT ARM PN: CX-ARMX-G3

CAMERA PRODUCT SHOWN FOR REFERENCE ONLY



STRUCTURE MATERIAL VARIES WITH INSTALLATON

PENDANT ARM IS ABLE TO ATTACH TO:

1. DIRECLY TO WALL  
SEE SHEET 5
2. GEN-X CORNER MOUNT KIT  
PN: 421-0066-00  
SEE SHEET 4
3. GEN-X POLE MOUNT KIT  
PN: 421-0067-00  
SEE SHEET 3



CORNER MOUNT USED AS EXAMPLE.



1	421-0069-00	PENDANT MOUNT KIT	1
QTY.	PART NUMBER	DESCRIPTION	ITEM

Pendant Mount Kit  
Saros Security Camera Family

METRIC

PROPRIETARY - FLIR SYSTEMS, INC.

THIS DOCUMENT IS CONTROLLED TO FLIR TECHNOLOGY LEVEL 2. THE INFORMATION CONTAINED IN THIS DOCUMENT PERTAINS TO A DUAL USE PRODUCT CONTROLLED FOR EXPORT BY THE EXPORT ADMINISTRATION REGULATIONS (EAR). DIVERSION CONTRARY TO US LAW IS PROHIBITED. US DEPARTMENT OF COMMERCE AUTHORIZATION IS NOT REQUIRED PRIOR TO EXPORT OR TRANSFER TO FOREIGN PERSONS OR PARTIES UNLESS OTHERWISE PROHIBITED.



FLIR Systems, Inc.  
6769 Hollister Ave.  
Goleta, CA 93117

SIZE  
D

CAGE  
064Y2

PIECE PART  
421-0069-00

REV

SCALE  
1:2

PRINTED: 10/18/2018

SHEET  
6 OF 6

SOLIDWORKS MODEL: 427-0100-0X-28 SAROS MOUNTING ACCESSORIES

MODEL REVISION: